



Borneo Motors

HINO COMMERCIAL VEHICLES SALES

2 Pandan Crescent
Singapore 128462

BUSINESS HOURS

Mon to Fri – 8am to 5pm
Sat – 8am to 12pm
Closed on Sun & PH

MAKE AN APPOINTMENT TODAY



6631 1818



cr@inchcape.com.sg



www.hino.com.sg



HinoSingapore

A Toyota Group Company



ULTIMATE VERSATILITY THE ALL-NEW HINO 200

10ft 3.7T



SCAN TO
FIND OUT MORE



STAY SAFE, STAY DRIVEN.

HOTLINE: 6631 1818

BUILT TO MOVE BUSINESSES

Robust and spacious for delivering maximum productivity

ABUNDANT SPACE AND UTILITY

Transport more on fewer trips

Maximise your payloads with a deck this generous in space. And for greater efficiency, the drop sides offer easy loading and unloading.



IMPROVED REAR SUSPENSION

Greater stability and strength

The semi-elliptic leaf spring rear suspension allows for enhanced productivity, stability, comfort, and safety even when delivering a full load of heavy cargo. And with a double wishbone and stabiliser, the front suspension ensures better manoeuvrability and handling—meaning every turn is smoother and under control!



AN ORGANISED INTERIOR

Designed for convenience and efficiency, the ergonomic cabin allows drivers to achieve better performance in comfort



IMPROVED ACCESSIBILITY

All you need, within reach

The upgraded ergonomic dashboard puts the frequently used buttons you use the closest to you, making your driving experience both convenient and intuitive.



DIESEL PARTICULATE FILTER (DPF) SYSTEM

FOR CLEANER, BETTER DRIVES

Remove accumulated Particulate Matter (PM) trapped in the filter with the DPF switch:

1. When DPF indicator lights up, park the vehicle in a safe place as soon as possible, and leave the engine idling.
2. Put the transmission in neutral and engage the parking brake.
3. Press the DPF switch (as shown) to start the cleaning process. It will take approximately 15–40 minutes.
4. Once the cleaning is complete, the DPF indicator light will automatically switch off.

A SPACIOUS CABIN

Drive in better comfort

Thoughtfully designed with plenty of room, the spacious cockpit allows you for comfort and convenience in every drive. Enjoy a range of storage options and handy fold-over middle seat that lets you stay organised on the go!



GREATER PERFORMANCE

Power and reliability for your every need



EURO VI COMPLIANT 1GD-FTV ENGINE

Power without compromise

With a turbocharger and intercooler providing class-leading thermal efficiency and a higher torque at low engine speeds, the new 1GD-FTV engine achieves better fuel economy, quietness, power, and cleaner emissions. And with a maximum torque of 300Nm/3200rpm and maximum power output of 106kW/3,400rpm, you'll enjoy smoother acceleration and better performance from your unstoppable workhorse.

HIGHLY EFFICIENT TRANSMISSION

Easy to use, efficient, and reliable

Apart from manual transmission, the Hino Dutro also comes in an automatic transmission variant—the first of its kind across the Hino lineup!



Automatic Transmission



Manual Transmission

EXTENSIVE SAFETY

Drive with peace of mind

ANTI-LOCK BRAKING SYSTEM (ABS)

Stay in complete control

The Anti-Lock Braking System allows the driver to maintain steering control during emergency braking.

VEHICLE STABILITY CONTROL (VSC)

Greater stability on every turn

Twisting roads? No worries! Vehicle Stability Control enhances stability, even on the tightest turns.

TRACTION CONTROL (TRC)

No slips, just grip

The in-built Traction Control enhances stability on slippery roads and helps to prevent skidding.

DUAL AIRBAGS

Protection you can count on

Dual airbags help minimise impact and injury in emergency situations.

COLOUR VARIATIONS



White (058)



Silver Metallic (199)



Blue (8P0)

SPECIFICATIONS

MODEL		10FT 3.7T MANUAL	10FT 3.7T AUTO
DIMENSION & WEIGHT			
Overall Length / Width / Height	mm	4685 / 1695 / 1980	4685 / 1695 / 1980
Wheelbase	mm	2545	2545
Tread (Front / Rear)	mm	Fr: 1440 / Rr: 1250	Fr: 1440 / Rr: 1250
Min. Turning Radius	m	4.8	4.8
Ground Clearance	mm	155	155
Max Laden Weight	kg	3700	3700
Unladen Weight	kg	1780	1780
Payload	kg	1920	1920
Deck Space (L / W / H)	mm	3100 / 1600 / 380	3100 / 1600 / 380
Seating Capacity (Incl. Driver)		3	3
Rear Overhang	mm	1180	1180
ENGINE & TRANSMISSION			
Engine Model Code		1GD-FTV	1GD-FTV
Engine Capacity	cc	2755	2755
Engine Type		Diesel, Turbocharger & Intercooler, Vertical, 4-Cylinder, In-Line, Overhead Valve (DOHC)	Diesel, Turbocharger & Intercooler, Vertical, 4-Cylinder, In-Line, Overhead Valve (DOHC)
Bore x Stroke	mm	92.0 x 103.6	92.0 x 103.6
Compression Ratio		15.6 : 1	15.6 : 1
Max Output	kW / rpm	106 / 3400	106 / 3400
Max Torque	Nm / rpm	300 / 3200	300 / 3200
Transmission		5-Speed Manual	6-Speed Auto
Gear Ratio	1st	4.313	3.600
	2nd	2.330	2.090
	3rd	1.436	1.488
	4th	1.000	1.000
	5th	0.838	0.687
	6th	-	0.580
Reverse Gear Ratio		4.220	3.732
Rear Axle Gear Ratio		3.583	3.583
Emissions Standard		EURO VI	EURO VI
Fuel Tank Capacity	L	60	60
CHASSIS			
Driving System		Rear Wheel Drive	Rear Wheel Drive
No of Axles		2	2
Suspension	Front	Torsion Bar Springs With Double Wishbone & Stabilizer	Torsion Bar Springs With Double Wishbone & Stabilizer
	Rear	Semi-Elliptic Leaf Springs With Shock Absorbers	Semi-Elliptic Leaf Springs With Shock Absorbers
Stabilizer		Front	Front
Steering Gear Type		Rack & Pinion With Hydraulic Booster Type	Rack & Pinion With Hydraulic Booster Type
Steering Power Assist System		Hydraulic	Hydraulic
Parking Brake Location		Mechanical, Internal, Expanding Acting on Transmission Output Shaft	Mechanical, Internal, Expanding Acting on Transmission Output Shaft
Parking Brake Type		Hand Lever	Hand Lever

Addition of extra features may change figures in this chart.
Figures on fuel efficiency are an estimate. Actual figures may vary depending on each driver's usage.
Toyota Motor Corporation and Borneo Motors (Singapore) Pte Ltd reserves the right to alter any details of specifications and equipment without notice.

Note:
Vehicles pictured and specifications detailed in this catalogue may vary from models and equipment available in your area.
Actual interior features and colours may differ from pictures shown. Vehicle body colour might differ slightly from the printed photos in this catalogue.

FEATURES

MODEL		10FT 3.7T MANUAL	10FT 3.7T AUTO
EXTERIOR			
Headlamps		Halogen	Halogen
Keyless Entry		With	With
Power Window		With Jam Protection	With Jam Protection
Central Lock		With	With
Side Mirror		Powered Folding Mirror on Passenger Side	Powered Folding Mirror on Passenger Side
Tyre	Front	175 / 75R15 103/101 (S)	175 / 75R15 103/101 (S)
	Rear	145 / 80R13 88/86 (D)	145 / 80R13 88/86 (D)
Deck Mechanism		Rigid Steel Deck With Latch, Gate Chain/Release, Hook & 3-Drop Sides	Rigid Steel Deck With Latch, Gate Chain/Release, Hook & 3-Drop Sides
INTERIOR			
Power Steering		With	With
Steering Column		Titl & Telescopic Adjustment	Titl & Telescopic Adjustment
Driver Seat		Ergonomically Designed With Recline & Slide	Ergonomically Designed With Recline & Slide
Multi-Information System (MID)		With	With
Audio System		With	With
Air Conditioner		With	With
Folder-Over Middle Seat		Yes	Yes
Assist Grips		With	With
Inside Rear View Mirror		With	With
SAFETY FEATURES			
Brake System		Fr: Disc / Rr: Drum	Fr: Disc / Rr: Drum
Service Brake Type		Hydraulic System	Hydraulic System
Anti-lock Braking System (ABS)		With + Brake Assist (BA)	With + Brake Assist (BA)
Vehicle Stability Control (VSC)		With	With
Traction Control (TRC)		With	With
Side Guard		With	With
Rear Underrun Bumper		With	With
Brakes	Front	Ventilated Disc Brake	Ventilated Disc Brake
	Rear	Leading-Trailing Drum Brake	Leading-Trailing Drum Brake
Airbags		2	2
Safety Camera		With	With
Seat Belts		All Seats	All Seats

THE ALL-NEW DUTRO 200 SERIES

